



wireless "link state advertisement"

- 1999

Search

Adv
Sch
Sch☒ Search only in Engineering, Computer Science, and Mathematics.☐ Search in all subject areas.

Scholar

Results 1 - 5 of 5 for **wireless "link state advertisement"**. (0.08 seconds)

All Results

Tip: Try removing quotes from your search to get more results.

[Z Haas](#)[\[book\] **Wireless Ad Hoc Networks** - group of 5 »](#)[W Chen](#)

ZJ Haas... - 1999 - comm.toronto.edu

[H AHMED](#)Page 1. 1 **Wireless Ad Hoc Networks** ... All communications between all network entities in ad-hoc networks are carried over the **wireless** medium. ...[E Lin](#)[Cited by 67](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)[R CALLON](#)[Route Optimization and Location Updates for Mobile Hosts - group of 9 »](#)

W Chen, E Lin - International Conference on Distributed Computing Systems, 1996 - doi.ieeecomputersociety.org

... foreign agent .Af then sends the packet through the **wireless** interface to M ... Each **link state advertisement** begins with a common 20 byte header (Figure 3). Link ...[Cited by 5](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)[Route Optimization and Location Updates for Mobile Hosts - group of 4 »](#)

WCE Lin - Proceedings of the 16th International Conference on ..., 1996 - cs.tcd.ie

... MA is a router that communicates with mobile hosts through a **wireless** interface and ... Each **link state advertisement** begins with a common 20 byte header Figure 3 ...[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)[Networks: A Visual Simulation Platform and Case Study - group of 3 »](#)

CA Funka-Lea, CL Janczewski, WC Lau, R Nagarajan, ... - Bell Labs Technical Journal, 1998 - doi.wiley.com

... C++ modules Cache computation Cache LCAC and **link-state advertisement** Local resource

database Path selection and GCAC Significant event Blocked/ last switch ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)[IP Switching for Scalable IP Services - group of 2 »](#)

HM AHMED, R CALLON, AG MALIS, J MOY - PROCEEDINGS OF THE IEEE, 1997 - ieeexplore.ieee.org

... physical links. In this case, suppose that one of the routers has an OSPF

link state advertisement (LSA) to transmit. Then, since ...[Cited by 19](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

wireless "link state advertisement"

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)



ospf "link state advertisement"

- 1999

Search

Adv
Sch
Sch
☒ Search only in Engineering, Computer Science, and Mathematics.

☐ Search in all subject areas.

Scholar All articles Recent articles Results 1 - 34 of 34 for ospf "link state advertisement". (0.13 seconds)

All Results

R Guerin

A Orda

D Williams

S Deering

D Estrin

QoS routing mechanisms and OSPF extensions - group of 6 »

RA Guerin, A Orda, D Williams - Global Telecommunications Conference, 1997.

GLOBECOM'97., ..., 1997 - [ieeexplore.ieee.org](#)... 'The additions are built on top of **OSPF V2** [1 ... In Section III, we consider the **link state advertisement** mechanism and discuss several related approaches. ...Cited by 396 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)
Implementation and performance measurements of QoS routing extensions to OSPF - group of 16 »
G Apostolopoulos, R Guerin, S Kamat - INFOCOM'99. Eighteenth Annual Joint Conference of the IEEE ..., 1999 - [ieeexplore.ieee.org](#)... as path computation, **link state advertisement** generation and reception, etc.Furthermore, we compare the cost of our QoS enhanced version of **OSPF** to that of ...Cited by 102 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)
An Experimental Study of Insider Attacks for the OSPF Routing Protocol - group of 7 »
B Vetter, F Wang, SF Wu - 5th IEEE International Conference on Network Protocols, ..., 1997 - [doi.ieeeecs.org](#)... In **OSPF**, the first step in the exchange of routing information is ... router's local neighborhood is then assembled into a **link-state advertisement** (LSA), which ...Cited by 22 - [Related Articles](#) - [Web Search](#)
Statistical anomaly detection for link-state routing protocols - group of 9 »

D Qu, BM Vetter, F Wang, R Narayan, SF Wu, YF Hou, ... - Network Protocols, 1998.

Proceedings. Sixth International ..., 1998 - [ieeexplore.ieee.org](#)... 3). continuous or counting measures, whose values are numeric, like LSA (**Link State Advertisement**) age or CPU usage, and (4) audit record distribution. ... 3 **OSPF** Attacks ...Cited by 29 - [Related Articles](#) - [Web Search](#) - [Library Search](#)
System for generating explicit routing advertisements to specify a selected path through a ... - group of 3 »

ES Crawley, Z Zhang, WM Salkewicz - US Patent 5,881,246, 1999 - Google Patents

... **OSPF** proto - col. 50 55 60 65 As link state routing protocols develop, new types of link state advertisements are created and existing **link state advertisement** ...Cited by 42 - [Related Articles](#) - [Web Search](#)
Techniques for automated network map generation using SNMP - group of 4 »
G Mansfield, M Ouchi, K Jayanthi, Y Kimura, K Ohta ... - INFOCOM'96. Fifteenth Annual Joint Conference of the IEEE ..., 1996 - [ieeexplore.ieee.org](#)... j. ... **OSPF-MIB** INFO Components Figure 2: **OSPF-MIB** information ... The related link state details are given **Link State Advertisement-** ospflsdbddvt. ...Cited by 23 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Path QoS Collection for Stable Hop-by-Hop QoS Routing

Y Goto, M Ohta, K Araki - Proceedings of INET, 1997 - isoc.org

... QoSLSAP (QoS **link state advertisement** protocol) QoSLSAP is an LSAP link state that includes ... 4] is a proposed QoS routing protocol that extends **OSPF** and MOSPF ...Cited by 16 - [Related Articles](#) - [Cached](#) - [Web Search](#)Method and apparatus for providing quality of service routing in a network - group of 2 »

ES Crawley, Z Zhang, WM Salkewicz, CA Sanchez - US Patent 5,995,503, 1999 - Google Patents

... 1993. Moy, **OSPF** (Open Shortest Path First) Version 2, Network Working Group Request for Comments: 1583, Mar. 1994. ... MOSPF is a multicasting extension to **OSPF**. ...Cited by 45 - [Related Articles](#) - [Web Search](#)Open shortest path first (**OSPF**) routing protocol simulation - group of 4 »

D Sidhu, T Fu, S Abdallah, R Nair, R Coltun - Applications, Technologies, Architectures, and Protocols for ..., 1993 - portal.acm.org

Page 1. Open Shortest Path First (**OSPF**) Routing Protocol Simulation* ... and the Flooding Protocols. Section 3 contains summary and conclusions. 2 **OSPF** Simulation ...Cited by 18 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)On the vulnerabilities and protection of **OSPF** routing protocol - group of 8 »

F Wang, SF Wu - Computer Communications and Networks, 1998. Proceedings. 7th ..., 1998 - ieeexplore.ieee.org

... learning their names; Every router constructs a packet known as **link state advertisement**(LSA), which ... The purpose of this paper is to take **OSPF** as an exam- ple ...Cited by 9 - [Related Articles](#) - [Web Search](#)Method and apparatus for managing exchange of metrics in a computer network by exchanging only ... - group of 3 »

R Callon - US Patent 5,600,794, 1997 - Google Patents

... count), while others allow use of multiple characteristics, eg, **OSPF** (see, J ... It is worthwhile to briefly mention the use of **link state advertisement** in routing ...Cited by 16 - [Related Articles](#) - [Web Search](#)[PS] Secure routing protocols: Theory and practice - group of 2 »

F Wang, B Vetter, S Wu - North Carolina State University, May, 1997 - earth.cis.udel.edu

... An example from **OSPF** works as following: AS external link (Type 5 ... System (except for Stub areas); all other types of **link state advertisement** are specific to a ...Cited by 20 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)Parallel Routing Table Computation for Scalable IP Routers - group of 7 »

X Xiao, LM Ni - Proceedings of the IEEE International Workshop on ..., 1998 - sfc.wide.ad.jp

... algorithm can be summarized below: 1. Every RN runs its own **OSPF** protocol as ... 2.1 For a non-DRN, it simply forwards the **link state advertisement** to its DRN; 2.2 ...Cited by 7 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)Route Optimization and Location Updates for Mobile Hosts - group of 9 »

W Chen, E Lin - International Conference on Distributed Computing Systems, 1996 - doi.ieeecomputersociety.org

... **OSPF** header with Type 4, followed by the number of link state ad- vertisements and all the link state advertisements in sequence. Each **link state advertisement** ...Cited by 5 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

An architecture for wide-area multicast routing - group of 35 »

S Deering, D Estrin, D Farinacci, CG Liu, L Wei - Proceedings of the conference on Communications ..., 1994 - portal.acm.org

... extension to the link-state unicast protocol **OSPF**, is executed on routers to construct multicast packet delivery paths and to ...

Cited by 362 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Reducing routing table computation cost in OSPF - group of 3 »

X Xiao, L Ni - Internet Workshop, 1999. IWS 99, 1999 - ieeeexplore.ieee.org

... For an intra-area link change, the agent for the changed WARR is guaranteed to receive this **link state advertisement** (LSA). Compared to **OSPF**, Step 2 of the ...

Cited by 5 - [Related Articles](#) - [Web Search](#)

[CITATION] Redundant Link State Advertisement Reduction in OSPF

S Kini, R Dube - 1999 - Tech Memo, Bell Laboratories

Cited by 1 - [Related Articles](#) - [Web Search](#)

[PS] An Agent-based Architecture for Advance Reservations - group of 10 »

O Schelen, S Pink - IEEE 22nd Annual Conference on Computer Networks (LCN'97), ..., 1997 - sm.luth.se

... routers next to the failed link will detect the problem first, eg, through the **OSPF** HELLO messages. This will trigger a **link state advertisement** to other nodes ...

Cited by 38 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

Release 5.0 - group of 6 »

C Guide - Kubota Pacific Computer Inc., Santa Clara, CA, 1991 - juniper.net

Page 1. Juniper Networks, Inc. 1194 North Mathilda Avenue Sunnyvale, CA 94089 USA 408-745-2000 www.juniper.net Part Number: 530--004547-01, Revision 1 JUNOS™ ...

Cited by 8 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

SUBMARINE: an architecture for IP routing over large NBMA networks - group of 6 »

AG Lauck, CR Kalmanek, KK Ramakrishnan - INFOCOM'99. Eighteenth Annual Joint Conference of the IEEE ..., 1999 - ieeeexplore.ieee.org

... We describe the use of a link-state internal routing protocol, such as **OSPF** [11] with a few extensions, below. The external routing protocol is BGP [12]. ...

Cited by 4 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Rsvp integrated multicast (rim)

K Fujikawa, K Ikeda - Proc. of INET, 1999 - isoc.org

... RIM requires some QoS **Link-State Advertisement** Protocol (QoSLSAP) in order to be applied to an actual ... [QOSPF] "Quality of Service Extensions to **OSPF** or Quality ...

Cited by 3 - [Related Articles](#) - [Cached](#) - [Web Search](#)

OSPF DESIGN GUIDE - group of 47 »

S Halabi - Cisco Systems Network Supported Accounts, 1996 - sol.te.net.ua

... **OSPF** uses a link-state algorithm in order to build and calculate the ... to any change in routing information, a router will generate a **link-state advertisement**. ...

Cited by 3 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Distributed connection-oriented services for switched communications networks - group of 5 »

K Dobbins, TA Grant, DJ Ruffen, L Kane, T Len, P ... - US Patent 5,825,772, 1998 - Google Patents

Page 1. United States Patent Dobbins et al. [54] DISTRIBUTED CONNECTION-ORIENTED SERVICES FOR SWITCHED COMMUNICATIONS NETWORKS [75 ...
[Cited by 132](#) - [Related Articles](#) - [Web Search](#)

[doc] Survey of Different Multicast Routing Protocols

M Capan - Mipro, 1998 - cn.carnet.hr

... The **OSPF** link state database provides a complete description of the Autonomous System's

topology. By adding a new type of **link state advertisement** (LSA), the ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Route Optimization and Location Updates for Mobile Hosts - group of 4 »

WCE Lin - Proceedings of the 16th International Conference on ..., 1996 - cs.tcd.ie

... LS Checksum Figure 3. The **link state advertisement** header ... For router links, Link State ID and Advertising Router are both the **OSPF** Router ID of the router. ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

IP Switching for Scalable IP Services - group of 2 »

HM AHMED, R CALLON, AG MALIS, J MOY - PROCEEDINGS OF THE IEEE, 1997 -
 ieexplore.ieee.org

... physical links. In this case, suppose that one of the routers has an **OSPF** **link state advertisement** (LSA) to transmit. Then, since ...

[Cited by 19](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Performance Analysis and Improvement of the Open Shortest Path First Routing Protocol

MM Ahmed - 1999 - collectionscanada.ca

... Page 3. Open Shortest Path First (**OSPF**) is a popular routing protocol designed to support ... In this research, the performance of the **OSPF** protocol was studied. ...

[Web Search](#) - [Library Search](#)

An SPF-based routing algorithm for SMDS networks

ME Sosa, MA Figueroa - ... Conference, 1992. Conference Record., GLOBECOM'92.' ..., 1992 - ieexplore.ieee.org

... networks connected to the RME (ie, type 3 links) in the RME's RME **Link State Advertisement** (type 1 LSA), which corresponds to the Router Links LSA of **OSPF**. ...

[Related Articles](#) - [Web Search](#)

Advanced data networking—acronyms - group of 2 »

ATM AESA - BT Technology Journal, 1998 - Springer

... LSA **link state advertisement** LSR label switch router LUNI LAN emulation user/network interface ... MNS managed network services M-**OSPF** multicast extensions to **OSPF** ...

[Web Search](#)

Efficient load balancing for UBR traffic in ATM networks

H Zhang, I Chlamtac, A Farago, AC Inc, MA Westford - Communications, 1999. ICC'99. 1999 IEEE International ..., 1999 - ieexplore.ieee.org

... selected. Because of the popularity, in this paper we consider link-state routing protocols such as **OSPF** [6], PNNI [4], etc. ...

[Related Articles](#) - [Web Search](#) - [BL Direct](#)

Intradomain QoS routing in IP networks: a feasibility and cost/benefit analysis - group of 15 »

G Apostolopoulos, R Guerin, S Kamat, A Orda, SK ... - Network, IEEE, 1999 -

ieeexplore.ieee.org

... Figure 1 depicts a simple functional block diagram for this model, for the case of a link state protocol such as Open Shortest Path First (**OSPF**) [5]. ...

[Cited by 52](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Classification and Comparison of Schemes for Providing Scalable IP Services Over ATM Networks - group of 3 »

P Boustead, J Chicharo, G Anido - Proceedings of the 7th IEEE International Conference on ..., 1999 - doi.ieeecomputersociety.org

... This similarity allows easy extension of **OSPF** to allow QoS routing. Opaque **Link-State Advertisement** (Opaque-LSA) can be used to flood the network with QoS ...

[Related Articles](#) - [Web Search](#)

On reducing the processing cost of on-demand QoS path computation - group of 11 »

G Apostolopoulos - Journal of High Speed Networks, 1998 - IOS Press

... The exact cost of retrieving a **link state advertisement** from the database depends on its implementation details. In well known **OSPF** implementations such as the ...

[Cited by 22](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[book] Wireless Ad Hoc Networks - group of 5 »

ZJ Haas... - 1999 - comm.toronto.edu

Page 1. 1 Wireless Ad Hoc Networks Zygmunt J. Haas, Jing Deng, Ben Liang, Panagiotis Papadimitratos, and S. Sajama Cornell University ...

[Cited by 67](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google

Display Sets

Search History**Database Details**

Set	Term Searched	Items	
S1	LINK (W) ADVERTISEMENT	95	Display
S2	S1 AND OSPF	2	Display
S3	RD (unique items)	1	Display
S4	S1 AND WIRELESS	1	Display
S5	OSPF AND WIRELESS AND MOBILE	262	Display
S6	S5 AND HANDOFF	8	Display

Format
FreeNumber of Records
10Show Database Details for:
2: Inspec (1898-present)[Bluesheet](#)[Rates](#)[Fields](#)[Formats](#)[Sorts](#)[Limits](#)[Tags](#)

© 2007 Dialog, a Thomson business

Manpage of NEMESIS-OSPF

OSPF Link State Advertisement (LSA) related options ... **OSPF** Autonomous System
External **Link Advertisement (LSA_AS_EXT)** options ...
nemesis.sourceforge.net/manpages/nemesis-ospf.1.html - 9k - [Cached](#) - [Similar pages](#)

OSPF Link-State Advertisement (LSA) Throttling [Cisco IOS Software ...

The **OSPF Link-State Advertisement (LSA)** Throttling feature provides a dynamic mechanism to slow down **link-state advertisement (LSA)** updates in **OSPF** during ...
www.cisco.com/en/US/products/sw/iosswrel/ps1829/products_feature_guide09186a0080161064.html
- 105k - [Cached](#) - [Similar pages](#)

3.4. OSPF Link State Database

OSPF Link State Database -- The **Link State Database** contains the **Link State -- Advertisements** from throughout the areas that the -- device is attached to. ...
www.freesoft.org/CIE/RFC/1850/16d.htm - 7k - [Cached](#) - [Similar pages](#)

12.4.5. AS external links

The encoding of TOS in **OSPF link state advertisements** is described in Section 12.3. If the T-bit of the **advertisement's** Options field is clear, ...
www.freesoft.org/CIE/RFC/1583/74.htm - 9k - [Cached](#) - [Similar pages](#)

CCDP: Cisco Internetwork Design Study Guide:The IP Routing Protocols

This feature aids in the fast convergence offered by the protocol. There are five primary types of **OSPF link-state advertisements**, as identified in Table ...
www.unix.org.ua/cisco/CCNP-CCDP/CID-Sybex/ch04/04-08.html - 11k -

IPv6 in Practice—Index

LSA (link state advertisement, OSPF) 247, 253 **Isot command (Linux)** 86 ... **mobile anchor point (MAP)** 323 **mobile node (MN)** 319 **mobile router** 322 ...
www.benedikt-stockebrand.de/ipv6-in-practice-index_e.html - 109k - [Cached](#) - [Similar pages](#)

[PDF]

M. Ghassemian, P. Hofmann, H. Aghvami, C. Prehofer: Analyses of ...

File Format: PDF/Adobe Acrobat
MAP/1: mobility anchor point assigns a prefix and the. mobile node uses the global address for ... **QoSPF link state advertisements** generate about 15% of the ...
www.docomoeurolabs.de/pdf/publications/FNL_analyses_of_addressing_03.pdf - [Similar pages](#)

SCITECH FILES

File 2:INSPEC 1898-2007/Mar W1
(c) 2007 Institution of Electrical Engineers
File 6:NTIS 1964-2007/Mar W1
(c) 2007 NTIS, Intl Cpyrght All Rights Res
File 8:Ei Compendex(R) 1884-2007/Feb W4
(c) 2007 Elsevier Eng. Info. Inc.
File 34:SciSearch(R) Cited Ref Sci 1990-2007/Mar W1
(c) 2007 The Thomson Corp
File 35:Dissertation Abs Online 1861-2007/Feb
(c) 2007 ProQuest Info&Learning
File 56:Computer and Information Systems Abstracts 1966-2007/Feb
(c) 2007 CSA.
File 57:Electronics & Communications Abstracts 1966-2007/Feb
(c) 2007 CSA.
File 65:Inside Conferences 1993-2007/Mar 07
(c) 2007 BLDSC all rts. reserv.
File 92:IHS Intl.Stds.& Specs. 1999/Nov
(c) 1999 Information Handling Services
File 94:JICST-EPlus 1985-2007/Mar W2
(c)2007 Japan Science and Tech Corp(JST)
File 95:TEME-Technology & Management 1989-2007/Mar W1
(c) 2007 FIZ TECHNIK
File 99:Wilson Appl. Sci & Tech Abs 1983-2007/Feb
(c) 2007 The HW Wilson Co.
File 144:Pascal 1973-2007/Feb W4
(c) 2007 INIST/CNRS
File 239:Mathsci 1940-2007/Apr
(c) 2007 American Mathematical Society
File 256:TecInfoSource 82-2007/Oct
(c) 2007 Info.Sources Inc
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
(c) 2006 The Thomson Corp
File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13
(c) 2002 The Gale Group
File 603:Newspaper Abstracts 1984-1988
(c)2001 ProQuest Info&Learning
File 483:Newspaper Abs Daily 1986-2007/Mar 11
(c) 2007 ProQuest Info&Learning

Set	Items	Description
S1	1555	OSPF OR OPEN()SHORTEST()PATH()FIRST
S2	192604	ADVERTISEMENT OR ADVERTISI???
S3	415	S2(3N)LINK???
S4	314658	(WIRELESS OR MOBILE)(3N)(COMMUNICATION?? OR NETWORK??)
S5	1395	ANCHOR()POINT??
S6	731	AU=(BENDER, P? OR BENDER P?)
S7	0	S6 AND S1
S8	0	S6 AND S3
S9	0	S1 AND S3 AND S5
S10	38	S1 AND S3
S11	0	S10 AND ANCHOR
S12	3	S10 AND POINT??
S13	3	RD S12 (unique items)

S14 2 S10 NOT PY=>2000
S15 2 S14 NOT S13
S16 1 RD S15 (unique items)

13/3,K/1 (Item 1 from file: 8)
DIALOG(R)File 8:Ei Compendex(R)
(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

10209636 E.I. No: EIP05028776151
Title: Design of OSPF protocol for wireless IP networks
Author: Kato, Toshihiko; Takanashi, Kenichi; Itoh, Shuichi; Sugata, Akinori; Kojima, Fumihide; Fujise, Msayuki
Corporate Source: University of Electro-Communications, Chofu-shi, Tokyo 182-8585, Japan
Conference Title: Proceedings of the IASTED International Conference on Communication Systems and Networks
Conference Location: Marbella, Spain Conference Date: 20040901-20040903
E.I. Conference No.: 64122
Source: Proceedings of the IASTED International Conference on Communication Systems and Networks Proceedings of the IASTED International Conference on Communication Systems and Networks 2004.
Publication Year: 2004
ISBN: 088986456X
Language: English

Title: Design of OSPF protocol for wireless IP networks
...Abstract: In order to implement a large scale wireless network, it is useful to connect access points (APs) which cover individual subnetworks by wireless link. In this case, since those APs work...
...routers, some routing protocols needs to be introduced among them. We have proposed to use OSPF among those wireless routers. However, the current OSPF does not take account of wireless router networks which have limited broadcast capability among routers...

...we propose a new procedure in which the overhead of database exchange and flooding of link state advertisement. This paper describes the design principles and the detailed design including packet format, control data...

Identifiers: Routing protocols; Wireless router networks; Point-to-multipoint networks

13/3,K/2 (Item 1 from file: 94)
DIALOG(R)File 94:JICST-EPlus
(c)2007 Japan Science and Tech Corp(JST). All rts. reserv.

05029667 JICST ACCESSION NUMBER: 01A0853112 FILE SEGMENT: JICST-E
Internet Failure Detection Based on Route Alteration Surveillance.
YOKOTA HIDETOSHI (1); SHIMBO HIROYUKI (1); IDOUE AKIRA (1); KATO TOSHIHIKO (1)
(1) Kddiken
Joho Shori Gakkai Shinpojiumu Ronbunshu, 2001, VOL.2001,NO.7, PAGE.483-488, FIG.11, TBL.1, REF.4
JOURNAL NUMBER: Y0978BAT ISSN NO: 1344-0640
UNIVERSAL DECIMAL CLASSIFICATION: 681.3:654

LANGUAGE: Japanese COUNTRY OF PUBLICATION: Japan
DOCUMENT TYPE: Conference Proceeding
ARTICLE TYPE: Short Communication
MEDIA TYPE: Printed Publication

...ABSTRACT: makes it more important to be able to detect network failures and spot the fault **points** as quickly as possible. We have been studying the failure detection method combining state monitoring...

...and controlled in a distributed fashion, which makes it more difficult to identify the fault **points**. We propose a method to watch the state of the network based on **link state advertisement** messages of **OSPF**, and to identify the failure nodes by collecting and analyzing the routing information and its...

IDENTIFIERS: **OSPF**

13/3,K/3 (Item 1 from file: 95)
DIALOG(R)File 95:TEME-Technology & Management
(c) 2007 FIZ TECHNIK. All rts. reserv.

01633093 20020302782
Multimediaverbindungen ueber Internet-Protokolle - Teil 3
Sos, E
Dt. Telekom, Bayreuth, D
Unterrichtsblaetter (Deutsche Telekom), v55, n3, pp140-154, 2002
Document type: journal article Language: German
Record type: Abstract
ISSN: 0942-7287

ABSTRACT:
Im dritten Teil des Beitrages zum Thema 'Multimediaverbindungen ueber Internetprotokolle' wird das Routing-Protokoll **OSPF (Open Shortest Path First)** vorgestellt und erlaeutert. Es wurde von der IETF (Internet Engineering Task Force) entwickelt und verwendet den Shortest-Path-First-Algorithmus von Dijkstra. Die Vorteile des **OSPF** sind neben der Verwendung von Bereichen (Areas) eine frei waehlbare Metrik sowie die Authentisierung fuer ein sicheres Routing. Das **OSPF**-Protokoll legt die Netzwerktypen Broadcast, **Point-to-Point**, **Point-to-Multipoint**, NBMA (Non-Broadcast-Multiple-Access) sowie virtuelle Verbindungen fest und verwendet unterschiedliche Router-Typen, z.B. Internal Router, Designated Router oder Backbone Router. **OSPF** beruht auf dem LSA (**Link Status Advertisement**), d.h. jeder Router kennt die komplette Netztopologie mit allen Verbindungen und Routern und ist somit fuer grösse Netze geeignet. Momentan zaehlt **OSPF** zu den bedeutendsten Internet-Routing-Protokollen und wird als Nachfolger des RIP (Routing Information Protocol...
...IDENTIFIERS: **LINK STATUS ADVERTISEMENT**); **OSPF --(OPEN ...**

...OPEN SHORTEST PATH FIRST); Internet; Routing.Protokoll;
Multimediaverbindung
?

16/3,K/1 (Item 1 from file: 2)
DIALOG(R)File 2:INSPEC
(c) 2007 Institution of Electrical Engineers. All rts. reserv.

06938842 INSPEC Abstract Number: B9807-6210L-105, C9807-5620W-066

Title: QoS routing mechanisms and OSPF extensions

Author(s): Guerin, R.A.; Orda, A.; Williams, D.

Author Affiliation: IBM Thomas J. Watson Res. Center, Yorktown Heights, NY, USA

Conference Title: GLOBECOM 97. IEEE Global Telecommunications Conference.

Conference Record (Cat. No.97CH36125) Part vol.3 p.1903-8 vol.3

Publisher: IEEE, New York, NY, USA

Publication Date: 1997 Country of Publication: USA 3 vol. xxvii+1962

pp.

ISBN: 0 7803 4198 8 Material Identity Number: XX97-02850

U.S. Copyright Clearance Center Code: 0 7803 4198 8/97/\$10.00

Conference Title: GLOBECOM 97. IEEE Global Telecommunications Conference.

Conference Record

Conference Sponsor: Bull Worldwide Inf. Syst

Conference Date: 3-8 Nov. 1997 Conference Location: Phoenix, AZ, USA

Language: English

Subfile: B C

Copyright 1998, IEE

...Identifiers: link advertisement mechanisms...

?

PATENT FILES

File 344:Chinese Patents Abs Jan 1985-2006/Jan

(c) 2006 European Patent Office

File 347:JAPIO Dec 1976-2006/Nov(Updated 070228)

(c) 2007 JPO & JAPIO

File 350:Derwent WPIX 1963-2006/UD=200717

(c) 2007 The Thomson Corporation

Set	Items	Description
S1	181	OSPF OR OPEN(SHORTEST)PATH(FIRST
S2	47731	ADVERTISEMENT OR ADVERTISI???
S3	536	S2(3N)LINK???
S4	161338	(WIRELESS OR MOBILE)(3N)(COMMUNICATION?? OR NETWORK??)
S5	1990	ANCHOR()POINT??
S6	168	AU=(BENDER, P? OR BENDER P?)
S7	1	S6 AND S5
S8	1	S1 AND S3 AND S5
S9	0	S8 NOT S7
S10	20	S1 AND S3
S11	3	S10 AND POINT??
S12	2	S11 NOT S8

7/3,K/1 (Item 1 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0010900991 - Drawing available

WPI ACC NO: 2001-521752/200157

XRPX Acc No: N2001-386668

Data anchor point relocation in decentralized serving network of

telecommunication system, involves sending standard routing messages to router to route packets with destination address of anchor point to other entity

Patent Assignee: BENDER P E (BEND-I); QUALCOMM INC (QUAL-N)

Inventor: BENDER P E

Patent Family (12 patents, 93 countries)

Patent			Application			
Number	Kind	Date	Number	Kind	Date	Update
WO 2001033893	A2	20010510	WO 2000US30100	A	20001031	200157 B
AU 200120405	A	20010514	AU 200120405	A	20001031	200157 E
US 6366561	B1	20020402	US 1999163325	P	19991103	200226 E
			US 1999451400	A	19991130	
US 20020041568	A1	20020411	US 1999163325	P	19991103	200227 E
			US 1999451400	A	19991130	
			US 20012537	A	20011115	
EP 1226735	A2	20020731	EP 2000983677	A	20001031	200257 E
			WO 2000US30100	A	20001031	
KR 2002059678	A	20020713	KR 2002705734	A	20020503	200306 E
BR 200015249	A	20021231	BR 200015249	A	20001031	200309 E
			WO 2000US30100	A	20001031	
JP 2003513575	W	20030408	WO 2000US30100	A	20001031	200333 E
			JP 2001534914	A	20001031	
CN 1415177	A	20030430	CN 2000818172	A	20001031	200351 E
AU 778435	B2	20041202	AU 200120405	A	20001031	200506 E
CN 1829196	A	20060906	CN 200610003724	A	20001031	200680 E
CN 1272982	C	20060830	CN 2000818172	A	20001031	200682 E

Priority Applications (no., kind, date): US 1999163325 P 19991103; US 1999451400 A 19991130; US 20012537 A 20011115

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing	Notes
--------	------	-----	----	-----	--------	-------

WO 2001033893	A2	EN	46	11		
---------------	----	----	----	----	--	--

National Designated States,Original: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW

Regional Designated States,Original: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TZ UG ZW

AU 200120405	A	EN			Based on OPI patent	WO 2001033893
US 6366561	B1	EN			Related to Provisional	US 1999163325
US 20020041568	A1	EN			Related to Provisional	US 1999163325
					Division of application	US 1999451400

EP 1226735	A2	EN			PCT Application	WO 2000US30100
					Based on OPI patent	WO 2001033893

Regional Designated States,Original: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI

BR 200015249	A	PT			PCT Application	WO 2000US30100
					Based on OPI patent	WO 2001033893
JP 2003513575	W	JA	61		PCT Application	WO 2000US30100
					Based on OPI patent	WO 2001033893
AU 778435	B2	EN			Previously issued patent	AU 200120405

Based on OPI patent WO 2001033893

Data anchor point relocation in decentralized serving network of telecommunication system, involves sending standard routing messages to router to route packets with destination address of anchor point to other entity

Inventor: **BENDER P E**

Alerting Abstract ...NOVELTY - Service devices of decentralized server network are in communication with **anchor points** of entities. A relocation message of **anchor point** is sent from one entity to another and accordingly a set of components are copied...

...from the multiple entities to indicate to the routers that packets containing destination address of **anchor point** should be routed to another entity....**DESCRIPTION OF DRAWINGS** - The figure shows the flowchart of the **anchor point** transfer methodology.

Original Publication Data by Authority

Inventor name & address:

BENDER P E ...

... BENDER P E ...

... BENDER, Paul, E ...

... Bender, Paul E ...

... Bender, Paul E ...

... BENDER, Paul, E

Claims:

...plurality of entities and wherein a first entity of said plurality of entities contains an **anchor point** and wherein said decentralized serving network also comprises a plurality of routers, and wherein said...

...service devices for providing standardized services for a plurality of access terminals, and wherein said **anchor point** is in communications with a service device of said plurality of service devices, a method for relocating said **anchor point** to a second entity of said plurality of entities, the method comprising the steps:transmitting...

...between said first entity and said second entity;copying a set of components of said **anchor point** from said first entity to said second entity, in accordance with said at least one...

...routers of said plurality of routers that packets containing a destination address associated with said **anchor point** should be routed to said second entity.

?

12/3,K/1 (Item 1 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0015533651 - Drawing available

WPI ACC NO: 2006-097801/200610

XRPX Acc No: N2006-084770

Method of establishing explicit constraint edge-to-edge path in internet protocol network, involves transmitting traffic engineering link state advertisement message directly to nearest traffic engineering route exchange router

Patent Assignee: NORTEL NETWORKS LTD (NELE)

Inventor: LEE C Y

Patent Family (1 patents, 1 countries)

Patent Application

Number	Kind	Date	Number	Kind	Date	Update
US 6985959	B1	20060110	US 2000704291	A	20001101	200610 .B

Priority Applications (no., kind, date): US 2000704291 A 20001101

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing	Notes
US 6985959	B1	EN	13	4		

...establishing explicit constraint edge-to-edge path in internet protocol network, involves transmitting traffic engineering link state advertisement message directly to nearest traffic engineering route exchange router

Alerting Abstract ...NOVELTY - A traffic engineering link state advertisement (TE-LSA) message is directly transmitted to nearest traffic engineering route exchange router (TE-X) from open short path first (OSPF) router, without flooding other routers, to permit each TE-X to maintain traffic engineering link...
...optical network using open short path first (OSPF) routing protocol.

Original Publication Data by Authority

Original Abstracts:

...traffic engineering route exchanger routers (TE-Xs) are used in an open shortest path first (OSPF) routing area to collect Traffic Engineering Link State Advertisements (TE-LSAs) and exchange the TE-LSAs with other TE...

...LSAs and compute explicit routes required by edge routers. A single point of failure that exists when a single centralized TE database is used is thereby eliminated. The TE-Xs peer...

Claims:

...MPLS and Optical network that uses a modified open shortest path first (OSPF) routing protocol for constraint route distribution and path computation, comprising steps of:provisioning at least one OSPF router in the network that supports constraint path setup with traffic engineering route exchange router (TE-X) functionality to provide edge routers in the...

...routes;sending traffic engineering link state advertisement (TE-LSA) messages directly via unicast from the OSPF routers to only a nearest one of the at least one TE-X, without flooding the TE-LSAs to other routers in the network, to permit...

12/3,K/2 (Item 2 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2007 The Thomson Corporation. All rts. reserv.

0015155808 - Drawing available
WPI ACC NO: 2005-505388/200551
XRPX Acc No: N2005-412484

Controlling method for dissemination of routing information in ad-hoc wireless network, involves forwarding link state advertisement , according to ascertained distance information included in advertisement
Patent Assignee: NORTEL NETWORKS LTD (NELE)
Inventor: SMITH P A

Patent Family (1 patents, 1 countries)

Patent Application

Number	Kind	Date	Number	Kind	Date	Update
US 20050152333	A1	20050714	US 2004757139	A	20040114	200551 B

Priority Applications (no., kind, date): US 2004757139 A 20040114

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing	Notes
US 20050152333	A1	EN	12	8		

Controlling method for dissemination of routing information in ad-hoc wireless network, involves forwarding link state advertisement , according to ascertained distance information included in advertisement

Alerting Abstract ...NOVELTY - A link state advertisement (LSA) from communication network is received and distance information is obtained from the LSA. The...

...Ethernet frames, data cells, segments, etc., using protocols like open shortest path first (OSPF) protocol **and intermediate system - to - intermediate system (Is-Is) protocol...**

...primarily to or from a limited number of focal points on the network.

Original Publication Data by Authority

Claims:

...network, the method comprising the steps of:receiving a link state advertisement from the network; **ascertaining distance information** associated with at least one of the link state advertisement and link state information contained **in the link state advertisement** ; andselectively forwarding the link state advertisement **on the network**, the step of selectively **forwarding** depending **on the ascertained distance information.**

?

FULLTEXT PATENT FILES

File 348:EUROPEAN PATENTS 1978-2007/ 200708

(c) 2007 European Patent Office

File 349:PCT FULLTEXT 1979-2007/UB=20070308UT=20070301

(c) 2007 WIPO/Thomson

Set	Items	Description
S1	1266	OSPF OR OPEN()SHORTEST()PATH()FIRST
S2	28040	ADVERTISEMENT OR ADVERTISI???
S3	1136	S2(3N)LINK???
S4	111153	(WIRELESS OR MOBILE)(3N)(COMMUNICATION?? OR NETWORK??)
S5	3183	ANCHOR()POINT??
S6	216	AU=(BENDER, P? OR BENDER P?)
S7	1	S6 AND S3
S8	75	S1(S)S3
S9	0	S8(S)S5
S10	11	S8(S)POINT??
S11	10	S10 NOT S7
S12	1	S11 NOT AD=19991103:20070313/PR

7/3,K/1 (Item 1 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2007 WIPO/Thomson. All rts. reserv.

00800277 **Image available**

**METHOD AND APPARATUS FOR PROVIDING MOBILITY WITHIN A NETWORK
PROCEDE ET APPAREIL ASSURANT LA MOBILITE AU SEIN D'UN RESEAU**

Patent Applicant/Assignee:

QUALCOMM INCORPORATED, 5775 Morehouse Drive, San Diego, CA 92121-1714, US
, US (Residence), US (Nationality)

Inventor(s):

BENDER Paul E , 2879 Angell Avenue, San Diego, CA 92122, US,

Legal Representative:

WADSWORTH Philip R (et al) (agent), Qualcomm Incorporated, 5775 Morehouse
Drive, San Diego, CA 92121-1714, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200133893 A2-A3 20010510 (WO 0133893)

Application: WO 2000US30100 20001031 (PCT/WO US0030100)

Priority Application: US 99163325 19991103; US 99451400 19991130

Designated States:

(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)

AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE
ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT
LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM
TR TT TZ UA UG UZ VN YU ZA ZW

(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE

(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG

(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW

(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext Word Count: 11276

Inventor(s):

BENDER Paul E ...

Fulltext Availability:

Detailed Description

Claims

Detailed Description

... IETF RFC 2328). The OSPF protocol has an age field that is transmitted in each **Link State Advertisement** message. The age field indicates to a receiving router how long the **Link State Advertisement** should remain valid for. A receiving router associates an age with the **Link State Advertisement** consistent with the age field received in a **Link State Advertisement**. A receiving router increments the associated ages for its routes as time passes. A receiving...IPc,,, at a nominally low cost. In the exemplary embodiment, this message is an OSPF **link state advertisement** (LSA). In one embodiment, the message sent is an IP broadcast or multicast message, thus...of this address to MPC 320A). In the exemplary embodiment, this message is an OSPF **link state advertisement**. As all of the routers in network 120 are OSPF capable, this new low cost...

...IPDCrAA at a nominally high cost. In the exemplary embodiment, this message is an OSPF **link state advertisement** (LSA). In one embodiment, the message sent is an IP broadcast message, thus allowing a...containing an IP address, such as a laptop computer, frequently sends a broadcast (or multicast) **link state advertisement** containing an Age field that is slightly lower than the value of MaxAge. These link...

Claim

... providing mobility within a network comprising the step of:
a remote system transmitting an OSPF **link state advertisement** at predetermined intervals.

24 The method of Claim 23 wherein said **link advertisement** contains:
a low cost associated with the routing of packets having an IP address of

...

?

12/3,K/1 (Item 1 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2007 WIPO/Thomson. All rts. reserv.

00539951 ****Image available****

SYSTEM AND METHOD FOR FACILITATING RECOVERY FROM COMMUNICATION LINK

FAILURES IN A DIGITAL DATA NETWORK

SYSTEME ET PROCEDE ASSURANT LE RETABLISSEMENT DE LIAISONS DE COMMUNICATION

DEFAILLANTES DANS UN RESEAU DE DONNEES NUMERIQUES

Patent Applicant/Assignee:

IRONBRIDGE NETWORKS INC,

Inventor(s):

CALLON Ross W,

MAISON Thierry,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200003324 A1 20000120 (WO 0003324)

Application: WO 99US15027 19990701 (PCT/WO US9915027)

Priority Application: US 98113491 19980710

Designated States:

(Protection type is "patent" unless otherwise stated - for applications prior to 2004)

AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GD GE GH
GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN
MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZW
GH GM KE LS MW SD SL SZ UG ZW AM AZ BY KG KZ MD RU TJ TM AT BE CH CY DE
DK ES FI FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN GW ML MR
NE SN TD TG

Publication Language: English

Fulltext Word Count: 8717

Fulltext Availability:

Detailed Description

Detailed Description

... communication cost has reached a level such that no network traffic is computed (using the OSPF methodology, as described above) to use that communication link. At that point, the switching nodes I I (n), I I (n') can broadcast link state advertising messages indicating that the I 5 communication link has failed.

It will be appreciated that...

?

BUSINESS FULLTEXT

File 9:Business & Industry(R) Jul/1994-2007/Mar 09

(c) 2007 The Gale Group

File 15:ABI/Inform(R) 1971-2007/Mar 10

(c) 2007 ProQuest Info&Learning

File 16:Gale Group PROMT(R) 1990-2007/Mar 09

(c) 2007 The Gale Group

File 20:Dialog Global Reporter 1997-2007/Mar 12

(c) 2007 Dialog

File 47:Gale Group Magazine DB(TM) 1959-2007/Mar 01

(c) 2007 The Gale group

File 75:TGG Management Contents(R) 86-2007/Mar W1

(c) 2007 The Gale Group

File 80:TGG Aerospace/Def.Mkts(R) 1982-2007/Mar 08

(c) 2007 The Gale Group

File 88:Gale Group Business A.R.T.S. 1976-2007/Mar 07

(c) 2007 The Gale Group

File 98:General Sci Abs 1984-2007/Mar

(c) 2007 The HW Wilson Co.

File 112:UBM Industry News 1998-2004/Jan 27

(c) 2004 United Business Media

File 141:Readers Guide 1983-2007/Jan

(c) 2007 The HW Wilson Co

File 148:Gale Group Trade & Industry DB 1976-2007/Mar 01

(c)2007 The Gale Group

File 160:Gale Group PROMT(R) 1972-1989

(c) 1999 The Gale Group

File 275:Gale Group Computer DB(TM) 1983-2007/Mar 09

(c) 2007 The Gale Group

File 264:DIALOG Defense Newsletters 1989-2007/Mar 09
(c) 2007 Dialog
File 484:Periodical Abs Plustext 1986-2007/Feb W3
(c) 2007 ProQuest
File 553:Wilson Bus. Abs. 1982-2007/Mar
(c) 2007 The HW Wilson Co
File 570:Gale Group MARS(R) 1984-2007/Mar 09
(c) 2007 The Gale Group
File 608:KR/T Bus.News. 1992-2007/Mar 12
(c)2007 Knight Ridder/Tribune Bus News
File 620:EIU:Viewswire 2007/Mar 11
(c) 2007 Economist Intelligence Unit
File 613:PR Newswire 1999-2007/Mar 12
(c) 2007 PR Newswire Association Inc
File 621:Gale Group New Prod.Annou.(R) 1985-2007/Mar 01
(c) 2007 The Gale Group
File 623:Business Week 1985-2007/Mar 09
(c) 2007 The McGraw-Hill Companies Inc
File 624:McGraw-Hill Publications 1985-2007/Mar 09
(c) 2007 McGraw-Hill Co. Inc
File 634:San Jose Mercury Jun 1985-2007/Mar 09
(c) 2007 San Jose Mercury News
File 635:Business Dateline(R) 1985-2007/Mar 10
(c) 2007 ProQuest Info&Learning
File 636:Gale Group Newsletter DB(TM) 1987-2007/Mar 09
(c) 2007 The Gale Group
File 647:CMP Computer Fulltext 1988-2007/May W3
(c) 2007 CMP Media, LLC
File 696:DIALOG Telecom. Newsletters 1995-2007/Mar 09
(c) 2007 Dialog
File 674:Computer News Fulltext 1989-2006/Sep W1
(c) 2006 IDG Communications
File 810:Business Wire 1986-1999/Feb 28
(c) 1999 Business Wire
File 813:PR Newswire 1987-1999/Apr 30
(c) 1999 PR Newswire Association Inc
File 587:Jane's Defense&Aerospace 2007/Mar W1
(c) 2007 Jane's Information Group

Set	Items	Description
S1	8453	OSPF OR OPEN()SHORTEST()PATH()FIRST
S2	6192576	ADVERTISEMENT OR ADVERTISI???
S3	12532	S2(3N)LINK???
S4	1909109	(WIRELESS OR MOBILE)(3N)(COMMUNICATION?? OR NETWORK??)
S5	3972	ANCHOR()POINT??
S6	585	AU=(BENDER, P? OR BENDER P?)
S7	0	S6 AND S3
S8	0	S6 AND S1
S9	18	S1(S)S3
S10	0	S9(S)S5
S11	0	S9(S)(ANCHOR? OR POINT??)
S12	9	S9 NOT PY=>2000
S13	9	RD S12 (unique items)

13/3,K/1 (Item 1 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2007 ProQuest Info&Learning. All rts. reserv.

00887592 95-36984
Multicast routing extensions for OSPF
Moy, John
Communications of the ACM v37n8 PP: 61-66+ Aug 1994
ISSN: 0001-0782 JRNL CODE: ACM
WORD COUNT: 4298

...TEXT: distributes the group location information throughout the Autonomous System by flooding a new type of **OSPF link state advertisement**, the group-membership-LSA. This LSA labels the pieces of the map having group members...

13/3,K/2 (Item 2 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2007 ProQuest Info&Learning. All rts. reserv.

00562158 91-36512
OSPF - The First Wave of Next-Generation Routing Protocols
Seifert, William M.
Business Communications Review v21n7 PP: 31-34 Jul 1991
ISSN: 0162-3885 JRNL CODE: BCR

...ABSTRACT: according to user-defined criteria. These are link-state, shortest-path first protocols, such as **Open Shortest Path First (OSPF)** for Transmission Control Protocol/Internet Protocol (TCP/IP) networks. There are 3 primary improvements offered...

...area partitioning. 3. They speed convergence by producing updates only as and when changes occur. **OSPF**'s support for the IP multicast standard allows one **link-state advertisement** packet to be addressed to multiple destinations, rather than addressing an individual packet to each...

13/3,K/3 (Item 1 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2007 The Gale Group. All rts. reserv.

05351411 Supplier Number: 48139850 (USE FORMAT 7 FOR FULLTEXT)
QoS issue dominates Globecom discourse -- Developers search for ways to ensure network bandwidth, latency across service types
Wirbel, Loring
Electronic Engineering Times, p39
Nov 24, 1997
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 1367

... latencies and bandwidth amounts.
IBM has been working on changes to the popular routing protocol, **Open Shortest Path First (OSPF)**, that the company hopes will move the TCP/IP world closer to true bandwidth guarantees...

...path-selection algorithms under development preserve the precomputed route tables and directed-graph structures of **OSPF**, but they add new functions to **OSPF**'s **link state advertisement (LSA)**: Instead of always looking for the shortest and cheapest path through a network, **OSPF** will be augmented to let a message sender specify needed bandwidth and anticipated maximum delays. The revised **OSPF** is a Bellman-Ford class, shortest-path algorithm.

To date, the only problem observed in...

13/3,K/4 (Item 1 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2007 Dialog. All rts. reserv.

05305873 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Qosnetics Introduces OSPF Testing Subsystem for Internet; Company's QA Robot System is First To Apply Sophisticated Validation To OSPF Networks and Products and Support For Opaque LSAs
BUSINESS WIRE
May 13, 1999
JOURNAL CODE: WBWE LANGUAGE: English RECORD TYPE: FULLTEXT
WORD COUNT: 1095

(USE FORMAT 7 OR 9 FOR FULLTEXT)

... of OSPF data over long periods of time, and stress testing during periods of intense **link state advertisement (LSA)** changes. Also tested is the ability of the network system under test (NSUT) to...

...second to test overall performance.

OSPF Suite software also supports the new RFC 2370 opaque **link state advertisement** specification.

To verify that a network system under test (NSUT) is operating correctly with a...

13/3,K/5 (Item 1 from file: 88)
DIALOG(R)File 88:Gale Group Business A.R.T.S.
(c) 2007 The Gale Group. All rts. reserv.

03491618 SUPPLIER NUMBER: 15936121
Multicast routing extensions for OSPF. (Open Shortest Path First protocol)(includes related article on OSPF routing) (Special Issue: Internet Technology)
Moy, John
Communications of the ACM, v37, n8, p61(6)
August, 1994
ISSN: 0001-0782 LANGUAGE: English RECORD TYPE: Fulltext; Abstract
WORD COUNT: 5192 LINE COUNT: 00417

... distributes the group location information throughout the Autonomous System by flooding a new type of **OSPF link state advertisement**, the group-membership-LSA. This LSA labels the pieces of the map having group members...

13/3,K/6 (Item 1 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2007 The Gale Group. All rts. reserv.

09912201 SUPPLIER NUMBER: 20027704 (USE FORMAT 7 OR 9 FOR FULL TEXT)

QoS issue dominates Globecom discourse. (the IEEE Globecom Conference in Phoenix) (Industry Trend or Event)

Wirbel, Loring

Electronic Engineering Times, n982, p39(2)

Nov 24, 1997

ISSN: 0192-1541 LANGUAGE: English RECORD TYPE: Fulltext; Abstract

WORD COUNT: 1504 LINE COUNT: 00124

... tables and directed-graph structures of OSPF, but they add new functions to OSPF's **link state advertisement (LSA)**: Instead of always looking for the shortest and cheapest path through a network, **OSPF** will be augmented to let a message sender specify needed bandwidth and anticipated maximum delays. The revised **OSPF** is a Bellman-Ford class, shortest-path algorithm.

To date, the only problem observed in...

13/3,K/7 (Item 2 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2007 The Gale Group. All rts. reserv.

05540694 SUPPLIER NUMBER: 11002429 (USE FORMAT 7 OR 9 FOR FULL TEXT)

OSPF - the first wave of next-generation routing protocols. (open shortest path first; next generation networks require new routing protocols)(includes related article)

Seifert, William M.

Business Communications Review, v21, n7, p31(4)

July, 1991

ISSN: 0162-3885 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT

WORD COUNT: 2276 LINE COUNT: 00190

... a router's state, such as a new type-of-service metric, also triggers a **link-state advertisement**.

Whenever **link-state advertisements** are received, each router recalculates the shortest path from that router to each...

...based on the data collected from the link-state advertisements, the paths listed in the **OSPF** routing table and the routing parameters created by the network administrator.

OSPF's method of...

...fail to converge quickly.

OSPF's support for the IP multicast standard also allows one **link-state advertisement** packet to be addressed to multiple destinations, rather than addressing an individual packet to each destination. To confirm delivery, **OSPF** requires every router to send an acknowledgment to the router from which it received the **link-state advertisement** packet.

Finally, in broadcast networks such as Ethernets, multiple routers frequently connect to the same...

13/3,K/8 (Item 1 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2007 The Gale Group. All rts. reserv.

01721257 SUPPLIER NUMBER: 16275351 (USE FORMAT 7 OR 9 FOR FULL TEXT)
OSPF fundamentals. (Open Shortest Path First routing protocol)
Baker, Fred
LAN Magazine, v9, n13, p71(13)
Dec, 1994
ISSN: 0898-0012 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 3539 LINE COUNT: 00279

...ABSTRACT: collects and advertises information about its neighboring routers via a data structure called a router **links advertisement**. The router calculates and sorts its neighbors, finding all the reachable routers and the most optimal path. Specifics about the **OSPF** router, including its interface and optimization methods, are discussed in detail. ... routers to forward data only when it believes that they are both fully operational.

An **OSPF** router advertises its beliefs about its neighbors in a data structure called a router **links advertisement**. Route calculation is straightforward: The router starts with its own router **links advertisement**. It sorts its neighbors by distance into a "reachable routers" queue. It then finds each reachable router's router **links advertisement** and sorts those neighbors to the queue. Soon, it has found all the reachable routers...

...determine connectivity or update advertisements. If each lists all of its neighbors in its router **links advertisement**, however, the advertisements consume a lot of router memory. Subnets are places where route calculation...synchronized with all the routers on the LAN. Second, the designated router advertises a network **links advertisement**, listing its neighbors in the subnet. The other routers simply advertise connectivity with the designated router. This makes each router **links advertisement** (of which there are many) smaller, by the size of the single network **links advertisement**.

OSPF INTERFACE

The minimum information needed by an **OSPF** router is its IP configuration (IP...

...a neighbor's HELLO, the neighbor is considered down, and a new network or router **links advertisement** is propagated to cause the network to recalculate its routes.

A DAY IN THE LIFE...external route advertisement is flooded throughout the network in the same way as the router **links advertisement**

External routes are handled in two steps. Among the external routes, the router chooses the...

13/3,K/9 (Item 1 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2007 CMP Media, LLC. All rts. reserv.

01146100 CMP ACCESSION NUMBER: EET19971124S0056

QoS issue dominates Globecom discourse - Developers search for ways to ensure network bandwidth, latency across service types

Loring Wirbel

ELECTRONIC ENGINEERING TIMES, 1997, n 982, PG39

PUBLICATION DATE: 971124

JOURNAL CODE: EET LANGUAGE: English

RECORD TYPE: Fulltext

SECTION HEADING: Technology

WORD COUNT: 1371

... latencies and bandwidth amounts.

IBM has been working on changes to the popular routing protocol, Open Shortest Path First (**OSPF**), that the company hopes will move the TCP/IP world closer to true bandwidth guarantees...

...path-selection algorithms under development preserve the precomputed route tables and directed-graph structures of **OSPF** , but they add new functions to **OSPF** 's link state advertisement (LSA): Instead of always looking for the shortest and cheapest path through a network, **OSPF** will be augmented to let a message sender specify needed bandwidth and anticipated maximum delays. The revised **OSPF** is a Bellman-Ford class, shortest-path algorithm.

To date, the only problem observed in...

?